




FLUSH / SURFACE MOUNT 4" TIME 2.3" DATE / TEXT RED, GREEN, YELLOW, BLUE  
**GLASS FACE - EASY TO CLEAN**



model: HYG-6-4R-SQTX-V1



Multifunction  
Remote Control  
Included



model: HYG-6-4R-SQTX-V2

**6 DIGIT TIME DISPLAY modes:**

- MODE 1: \*HH:MM SS (12 hour format with am/pm dot)
- MODE 2: HH:MM SS (24 hour format)
- MODE 3: HH:MM<sup>PM</sup> (12 hour format with am/pm text)
- MODE 4: HH:MM SS (24 hour Military format)
- MODE 5: HH:MM SS (UP/DOWN Timer modes)

**DATE/TEXT DISPLAY modes:**

- MODE 1: SUN OCT 12 (or: SUN-OCT-12)
- MODE 2: OCT 12 SUN (or: OCT-12-SUN)
- MODE 3: 12 OCT. SUN (or: 12-OCT-SUN)
- MODE 4: SUN. 12 OCT (or: SUN-12-OCT)
- MODE 5: OCT. 12 / 03
- MODE 6: 12 OCT.
- MODE 7: TEMP. 25.3 C (or: 77.5 F)
- MODE 8: DAY 245 (Julian day of the year)
- MODE 9: TIME ZONE / TEXT DISPLAY

**OPTIONS:**

1. INTERNAL POWER SUPPLY FOR 115V or 220V , 50/60Hz
2. 12V and 24V DC or AC SUPPLY OPTION
3. SYSTEM MASTER SYNC WITH RS-232/485 COMPUTER INTERFACE / TWISTER PAIR
4. SYSTEM MASTER SYNC WITH SERIAL COMMUNICATION OVER POWER LINE
5. SYSTEM MASTER SYNC OVER POWER LINE CARRIER (HIGH AND LOW VOLTAGE)
6. SYSTEM MASTER SYNC 2 AND 3 WIRE, 24 VOLT MINUTE IMPULSE
7. SYSTEM MASTER SYNC ASCII TIME CODE FORMAT 0, 1, 2, 3, 4 ON RS-232/485